

**DEPARTMENT OF TRANSPORTATION  
STATE OF GEORGIA  
SPECIAL PROVISION**

**Section 624—Sound Barriers**

---

*Delete Subsection 624.2.B and substitute the following:*

**B. Type C**

Use precast concrete panels that meet these requirements:

Class AA Concrete	<a href="#">Section 500</a>
Reinforcing	AASHTO M 31/M 31M and M 32/M 32M
Piling-Galvanized Steel	<a href="#">Section 520</a> and AASHTO M 111/M 111M
Elastomeric Bearing Pads	<a href="#">Section 885</a>

Use piling, bolts, and fittings that are hot-dip galvanized when the barrier rests on another concrete structure.

*Delete Subsection 624.3.F.2.e and substitute the following:*

- e. Give the panels a Type III—Rubbed Finish on the upper surface (as cast) according to [Subsection 500.3.05.AB, “Finish Concrete.”](#) When an architectural finish is specified for one side of the barrier, provide a similar finish to the opposite side unless noted otherwise in the plans.

*Delete Subsection 624.3.F.5.c and substitute the following:*

- c. Cast the panels on a steel surface with steel side forms. When an architectural finish is specified for one side of the barrier, provide a similar finish to the opposite side unless noted otherwise in the plans.